

BENCHMARK

1. TOPOGRAPHIC SURVEY PREPARED BY SURVEYING SERVICES WHICH IS THE BASIS FOR THESE PLANS. NAD83 AND NAVD88 ARE THE REFERENCE SYSTEMS.
BM- (N1120853.2057; E:492509.8057; ELEVATION 413.90)

FLOOD INFORMATION


1. THE PROPERTY SHOWN HEREON IS NOT LOCATED WITHIN A SPECIAL FLOOD HAZARD AREA PER FLOOD INSURANCE RATE MAP NO. 47113C0163E, EFFECTIVE DATE: AUGUST 3, 2009.

LAYOUT NOTES

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING ANY UTILITY COMPANY WHICH MAINTAINS A UTILITY LINE WITHIN THE BOUNDARIES OF THE PROJECT PRIOR TO THE INITIATION OF ANY CONSTRUCTION ON THE PROJECT OR IN THE STREETS BORDERING THE PROJECT. THE CONTRACTOR SHALL ALSO ASSUME RESPONSIBILITY FOR ANY DAMAGE INCURRED TO UTILITY LINES, WHETHER SHOWN ON THE CONSTRUCTION PLANS OR NOT, DURING WORK ON THE PROJECT.
2. ALL NEWLY CUT AND/OR FILLED AREAS LACKING ADEQUATE VEGETATION SHALL BE SODDED, FERTILIZED, AND MULCHED AS REQUIRED TO EFFECTIVELY PREVENT SOIL EROSION PER PROJECT ENGINEER.
3. ANY FILL PLACED IN THIS DEVELOPMENT IN GRASS AREAS SHALL BE LAID IN A MAXIMUM OF 6" LIFTS AND BE COMPACTED TO A MINIMUM OF 95% STANDARD PROCTOR. FILL PLACED IN PAVED AREAS SHALL BE LAID IN A MAXIMUM OF 6" LIFTS AND BE COMPACTED TO A MINIMUM OF 100%.
4. THE CONTRACTOR MUST HAVE WRITTEN APPROVAL FROM THE CIVIL ENGINEER BEFORE ANY CHANGE IN DESIGN IS MADE.
5. THE CONTRACTOR SHALL NOT ENTER UPON NOR CAUSE DAMAGE TO ANY ADJACENT PROPERTIES WITHOUT WRITTEN PERMISSION FROM SAID PROPERTY OWNERS.
6. THE CONTRACTOR SHALL PROVIDE AND MAINTAIN EROSION CONTROL DURING CONSTRUCTION BY THE PLACEMENT OF SILT FENCES AND/OR HAY BALES WHERE NECESSARY TO PREVENT DOWNSTREAM SILTATION OF ANY DITCHES, PIPES, DRAINAGE STRUCTURES, OR ADJACENT PROPERTIES. THE CONTRACTOR SHALL PROVIDE ANY ADDITIONAL EROSION CONTROL AS NEEDED OR AS DIRECTED BY THE CIVIL ENGINEER.
7. AT THE END OF EACH WORK DAY THE CONTRACTOR SHALL PLACE HAYBALES WITH SILT FENCE (SEE DETAIL) ACROSS THE UPSTREAM END OF THE NEWLY LAID PIPE. THE HAY BALES AND SILT FENCE SHALL REMAIN IN PLACE UNTIL THE NEXT SECTION OF PIPE IS READY TO BE LAID.
8. CONTACT THE CITY ENGINEERING DEPT./PUBLIC WORKS DEPT. AT LEAST 24 HRS. PRIOR TO COMMENCING WORK.
9. DIMENSIONS, AS SHOWN, ARE MEASURED FROM THE FACE OF CURB OR BUILDING CORNERS.

LEGEND

- ELECTRIC BOX
 - FIRE HYDRANT
 - GAS VALVE
 - IRON PINS, SET & FOUND
 - POWER POLE
 - SEWER MANHOLE
 - WATER METER
 - WATER VALVE
 - STORM DRAIN MANHOLE
 - AIR CONDITION UNIT
 - TREES
 - LIGHTS
 - OHE- OVERHEAD ELECTRIC
 - UGE- UNDERGROUND ELECTRIC
 - W - WATER
 - SS - SANITARY SEWER
 - CONCRETE CURB
 - CONCRETE SIDEWALK
 - STORM DRAIN PIPE
 - STORM DRAIN INLET
-
- SHEET NUMBER
 - DETAIL NUMBER
 - EXISTING BUILDING
 - NEW BUILDING
 - NEW ASPHALT PARKING



SCALE: 1" = 30'H

SUMMARY

BUILDING AREA (gross)
TOTAL AREA= 21,800 SF
144 NEW PARKING SPACES ADDED

38.496 ACRES




JACKSON, TN

Date	Revision
3-23-15	ADDED PARKING

ST. MARYS CHURCH GYM, YOUTH/ADMIN CENTER

Drawings, written material, and design concepts shall not be used or reproduced in whole or part in any form or format without prior written consent of AW ENGINEERING. Do not scale drawings. Use given dimensions only. If not shown, verify correct dimensions with the Architect. Contractor shall check and verify all dimensions and conditions at job site.

SEAL



Drawing Title:

SITE PLAN

Project Name:
ST. MARYS CHURCH, JACKSON, TN

Project No: 14005
 Drawn By: JEW
 Checked By: JAW
 Date: 05.18.2015

SHEET
C100